

# MATERIAL SAFETY DATA SHEET

## 1. Product and Company Identification

**Product number** 990  
**Product name** **White Lithium Grease**  
**Effective date** 22-Jun-2011  
**Company information** CPC Aeroscience  
PO BOX 667770  
Pompano Beach, FL 33066 United States  
**Company phone** General Assistance 954-974-5440  
**Emergency telephone US** 800-424-9300  
**Emergency telephone outside US** 703-527-3887  
**Version #** 08  
**Supersedes date** 31-May-2011

## 2. Hazards Identification

**Emergency overview** Aerosol. Will be easily ignited by heat, spark or flames. CONTENTS UNDER PRESSURE.  
Irritating to skin. Irritating to eyes. Irritating to respiratory system. Prolonged exposure may cause chronic effects. EXTREMELY FLAMMABLE

**Potential health effects**

**Routes of exposure** Inhalation. Skin contact.

**Eyes** Causes eye irritation.

**Skin** Irritating to skin. Prolonged or repeated contact can result in defatting and drying of the skin which may result in skin irritation and dermatitis (rash).

**Inhalation** Intentional misuse by concentrating and inhaling the product can be harmful or fatal. Irritating to respiratory system.

**Ingestion** Exposure by ingestion of an aerosol is unlikely. May cause delayed lung damage.

**Target organs** Central nervous system.

**Chronic effects** May cause central nervous system disorder (e.g., narcosis involving a loss of coordination, weakness, fatigue, mental confusion and blurred vision) and/or damage.

**Signs and symptoms** Narcosis.

## 3. Composition / Information on Ingredients

| Components                                                 | CAS #      | Percent |
|------------------------------------------------------------|------------|---------|
| Petroleum Distillate                                       | 64742-52-5 | 30 - 40 |
| Aliphatic Petroleum Solvent                                | 64742-89-8 | 30 - 40 |
| Propane                                                    | 74-98-6    | 15 - 20 |
| Paraffinic, Naphthenic Solvent                             | 64742-47-8 | 8 - 10  |
| Non-hazardous and other components below reportable levels |            | 1 - 2.5 |

## 4. First Aid Measures

**First aid procedures**

**Eye contact** Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation persists after washing.

**Skin contact** Wash off immediately with plenty of water. Remove and isolate contaminated clothing and shoes. Get medical attention if irritation develops and persists.

**Inhalation** Move to fresh air. For breathing difficulties, oxygen may be necessary. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician if symptoms develop or persist.

**Ingestion**

Do not induce vomiting without advice from poison control center. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately.

**Notes to physician**

Symptoms may be delayed.

## 5. Fire Fighting Measures

**Flammable properties**

Heat may cause the containers to explode. Vapor or gas may spread to distant ignition sources and flash back. Runoff to sewer may cause fire or explosion hazard.

**Extinguishing media****Suitable extinguishing media**

Water fog. Carbon dioxide (CO<sub>2</sub>). Dry chemicals.

**Protection of firefighters****Protective equipment and precautions for firefighters**

In case of fire and/or explosion do not breathe fumes. Containers should be cooled with water to prevent vapor pressure build up. Move containers from fire area if you can do so without risk. Cool containers exposed to flames with water until well after the fire is out. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.

## 6. Accidental Release Measures

**Methods for containment**

Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Stop the flow of material, if this is without risk.

**Methods for cleaning up**

Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

## 7. Handling and Storage

**Handling**

Pressurized container: Do not pierce or burn, even after use. Do not smoke while using or until sprayed surface is thoroughly dry. Use only in area provided with appropriate exhaust ventilation. Do not use if spray button is missing or defective. Do not re-use empty containers. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with skin. Avoid contact with eyes. Wear personal protective equipment. Avoid prolonged exposure.

**Storage**

Contents under pressure. Do not puncture, incinerate or crush. Keep away from heat and sources of ignition. Avoid exposure to long periods of sunlight. Store in cool place. Store in a well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs. Level 2 Aerosol.

## 8. Exposure Controls / Personal Protection

**Exposure limits****ACGIH****Components****CAS #****TWA****STEL****Ceiling**

Propane

74-98-6

1000 ppm

Not established

Not established

**OSHA****Components****CAS #****TWA****STEL****Ceiling**

Propane

74-98-6

1000 ppm

Not established

Not established

**Personal protective equipment****Eye / face protection**

Not normally needed.

**Skin protection**

Wear protective gloves.

**Respiratory protection**

None required where adequate ventilation conditions exist. If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator.

## 9. Physical & Chemical Properties

**Appearance**

Compressed liquefied gas.

**Boiling point**

368.6 °F (187.2 °C) estimated

|                           |                                |
|---------------------------|--------------------------------|
| <b>Color</b>              | White.                         |
| <b>Density</b>            | 0.722 g/cm3 estimated          |
| <b>Flammability (HOC)</b> | 26.798 kJ/g estimated          |
| <b>Flash back</b>         | Yes                            |
| <b>Flash point</b>        | -156 °F (-104.4 °C) Propellant |
| <b>Form</b>               | Aerosol.                       |
| <b>Freezing point</b>     | Not available                  |
| <b>Odor</b>               | Solvent.                       |
| <b>pH</b>                 | Not applicable                 |
| <b>Physical state</b>     | Liquid.                        |
| <b>Pressure</b>           | 70 - 90 psig @ 70F             |
| <b>Solubility</b>         | Partially                      |
| <b>Specific gravity</b>   | 0.7221 estimated               |

## 10. Chemical Stability & Reactivity Information

|                                         |                                                                              |
|-----------------------------------------|------------------------------------------------------------------------------|
| <b>Incompatible materials</b>           | Strong oxidizing agents.                                                     |
| <b>Hazardous decomposition products</b> | May include oxides of carbon. No hazardous decomposition products are known. |

## 11. Toxicological Information

|                      |                                                                                                   |
|----------------------|---------------------------------------------------------------------------------------------------|
| <b>Acute effects</b> | Acute LD50: 2886 mg/kg estimated, Rat, Dermal<br>Acute LC50: 4 mg/l/4h estimated, Rat, Inhalation |
|----------------------|---------------------------------------------------------------------------------------------------|

### Component analysis - LD50

#### Toxicology Data - Selected LD50s and LC50s

|                                |            |                                                                                              |
|--------------------------------|------------|----------------------------------------------------------------------------------------------|
| Aliphatic Petroleum Solvent    | 64742-89-8 | Oral LD50 Mouse 5000 mg/kg; Dermal LD50 Rabbit 3000 mg/kg                                    |
| Paraffinic, Naphthenic Solvent | 64742-47-8 | Inhalation LC50 Rat >5.2 mg/L 4 h; Oral LD50 Rat >5000 mg/kg; Dermal LD50 Rabbit >2000 mg/kg |
| Petroleum Distillate           | 64742-52-5 | Inhalation LC50 Rat 2.18 mg/L 4 h; Oral LD50 Rat >5000 mg/kg; Dermal LD50 Rabbit >2000 mg/kg |
| Propane                        | 74-98-6    | Inhalation LC50 Rat 658 mg/L 4 h                                                             |

|                      |                                                |
|----------------------|------------------------------------------------|
| <b>Sensitization</b> | Not expected to be hazardous by OSHA criteria. |
|----------------------|------------------------------------------------|

|                       |                                                |
|-----------------------|------------------------------------------------|
| <b>Teratogenicity</b> | Not expected to be hazardous by OSHA criteria. |
|-----------------------|------------------------------------------------|

## 12. Ecological Information

|                    |                                                                                                                                                                                                                                     |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Ecotoxicity</b> | LC50 480 mg/L estimated, Fish, 96.00 Hours,<br>EC50 2568 mg/L estimated, Daphnia, 48.00 Hours,<br>IC50 14696 mg/L estimated, Algae, 72.00 Hours,<br>Contains a substance which causes risk of hazardous effects to the environment. |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## 13. Disposal Considerations

|                              |                                                                                                                                                                                                                                                                                        |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Waste codes</b>           | D001: Waste Flammable material with a flash point <140 F                                                                                                                                                                                                                               |
| <b>Disposal instructions</b> | Contents under pressure. Dispose of this material and its container to hazardous or special waste collection point. Do not incinerate sealed containers. If discarded, this product is considered a RCRA ignitable waste, D001. Dispose in accordance with all applicable regulations. |

## 14. Transport Information

### Department of Transportation (DOT) Requirements

#### Basic shipping requirements:

|                                |                    |
|--------------------------------|--------------------|
| <b>Proper shipping name</b>    | Consumer commodity |
| <b>Hazard class</b>            | ORM-D              |
| <b>Subsidiary hazard class</b> | None               |
| <b>Additional information:</b> |                    |
| <b>Packaging exceptions</b>    | 156, 306           |
| <b>Packaging non bulk</b>      | 156, 306           |
| <b>Packaging bulk</b>          | None               |

**IMDG****Basic shipping requirements:**

**Proper shipping name** AEROSOLS  
**Hazard class** 2.1  
**UN number** 1950  
**Additional information:**  
**Packaging exceptions** LTD QTY  
**Item** 5F  
**Labels required** None  
**Transport Category** 2

**IATA****Basic shipping requirements:**

**Proper shipping name** Aerosols, flammable  
**Hazard class** 2.1  
**UN number** 1950  
**Additional information:**  
**Packaging exceptions** LTD QTY  
**Labels required** None



|                                   |
|-----------------------------------|
| <b>15. Regulatory Information</b> |
|-----------------------------------|

**US federal regulations**

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.  
 CERCLA/SARA Hazardous Substances - Not applicable.

**Occupational Safety and Health Administration (OSHA)**

**29 CFR 1910.1200 hazardous chemical** Yes

**CERCLA (Superfund) reportable quantity**

None

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Section 302 extremely hazardous substance** No  
**Section 311 hazardous chemical** Yes  
**Hazard categories (311/312)** Immediate Hazard - Yes  
 Delayed Hazard - No  
 Fire Hazard - Yes  
 Pressure Hazard - Yes  
 Reactivity Hazard - No

**Inventory status**

| Country(s) or region        | Inventory name                                             | On inventory (yes/no)* |
|-----------------------------|------------------------------------------------------------|------------------------|
| China                       | Inventory of Existing Chemical Substances in China (IECSC) | No                     |
| Europe                      | European Inventory of New and Existing Chemicals (EINECS)  | No                     |
| Europe                      | European List of Notified Chemical Substances (ELINCS)     | No                     |
| Japan                       | Inventory of Existing and New Chemical Substances (ENCS)   | No                     |
| Korea                       | Existing Chemicals List (ECL)                              | No                     |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory              | Yes                    |

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

**State regulations****U.S. - Pennsylvania - RTK (Right to Know) List**

| Chemical Name                  | Chemical ID | Present |
|--------------------------------|-------------|---------|
| Aliphatic Petroleum Solvent    | 64742-89-8  | Present |
| Paraffinic, Naphthenic Solvent | 64742-47-8  | Present |
| Petroleum Distillate           | 64742-52-5  | Present |
| Propane                        | 74-98-6     | Present |

|                              |
|------------------------------|
| <b>16. Other Information</b> |
|------------------------------|

**Further information**

HMIS® is a registered trade and service mark of the NPCA.

Product name: White Lithium Grease

Product #: 715-002    Revision date: 22-JUN-2011    Print date: 22-JUN-2011

MSDS US

4 / 5

**HMIS® ratings**

Health: 1  
Flammability: 3  
Physical hazard: 0

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information in the sheet was written based on the best knowledge and experience currently available. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**MSDS sections updated**

Exposure Controls / Personal Protection: Respiratory protection

**Prepared by**

Regulatory Compliance